



**INSTRUCTIONS FOR
REQUESTING AN AVERHEALTH DRUG SCREEN**

When requesting a drug screen, complete the Court's Local Form 140, Order for Drug and/or Alcohol Testing. If completed by Family Court Services (FCS) or a Guardian Ad Litem (GAL), the form must be submitted to the appropriate judicial officer for signature.

The signed order must be scanned and emailed to fcs@drcourt.org for processing. FCS will then file the order with the Clerk. For immediate testing, or if the parties are present in the Courthouse, the parties should report to Family Court Services for further instructions.

Averhealth is open from 7:30 a.m. to 4:30 p.m. 4 days a week and from 8 a.m. to noon on Saturday. Contact FCS for the exact schedules.

Multiple random tests can be scheduled on a weekly or monthly basis. When scheduled for random tests, the party will need to call in to Averhealth daily to determine if they need to report that day. A texting option is available through Averhealth that will notify the party if they need to report and remind them if they have not. If a party fails to report on an assigned day, they will not be permitted to re-take the test on another day unless approved by the judicial officer.

Pricing for drug screens is available on our website at: <https://drcourt.org/wp/drug-testing/>

All drug tests are OBSERVED. Drug testing is available as follows:

The standard 6 panel screen tests for:

Methamphetamine

Benzodiazepines (Xanax, Valium, Ativan)

Cannabinoids (THC, THC concentrates)

Cocaine

Opiates (morphine, heroin, hydrocodone, hydromorphone, oxycodone, oxymorphone)

ETG (alcohol)

ETG can be substituted with one of the following assays:

Fentanyl

Heroin

Ketamine

LSD

Tramadol (opioid)

Zolpidem (sedative)

Buprenorphine (opioid)

Mitragynine (opioid, known as kratom)

Carisoprodol (muscle relaxant)

Cotinine

Additional tests can be added and charged to the party. Additional tests cost between .50¢ to \$2.50 per test.

Hair tests have a 90-day lookback, and are available as follows:

ETG (alcohol) only hair test

5-panel Hair Lab test has a 90-day lookback. Assays are:

| | |
|----------------|---------|
| Amphetamines | Cocaine |
| Benzodiazepine | Opiate |
| Cannabinoids | |

13-Panel Hair Lab Test with Expanded Opiates has a lookback of 90 days. Assays are:

| | | |
|-----------------|---------------------|-----------|
| Cocaine | Marijuana | Methadone |
| Opiates | Barbiturates | Tramadol |
| Amphetamines | Oxycodone | Fentanyl |
| Methamphetamine | Benzodiazepines and | |
| Phencyclidine | Buprenorphine | |

17-Panel Hair Lab Test with Expanded Opiates has a 90-day lookback, and includes everything in the 13-panel test plus:

| | |
|--------------|----------|
| Propoxyphene | Zolpidem |
| Ketamine | MDMA |

Hair tests will generally be taken from head hair. If not possible, body hair will be used, but the lookback is indeterminate.

The approximate turn-around times for Averhealth drug tests are:

- 24-48 hours for urine drug screens
- 2-5 days for hair tests

Hair tests are automatically confirmed if positive. If a party requests confirmation of a positive UDS, the request must be made within 75 days of the original results. The cost of confirmation is \$15 per assay confirmed.

For questions, contact: Family Court Services at: 330-643-2355 or fcs@drccourt.org



**Summit County
Domestic Relations Court**
Administrative Judge Katarina Cook
Judge Kani H. Hightower

Drug Abuse Reference Guide

| Drug Classification | Street/Trade Names | Approximate Window of Detection | Methods of Use | Duration of Effects | Possible Effects | Overdose Effects |
|---------------------------------|----------------------------------------------------------------------------|---------------------------------|---------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Stimulants | | | | | | |
| Amphetamine-Type | | | | | | |
| Amphetamine | Crystal, Ecstasy, Crank, Speed, Meth, | 4 days | Oral, injected, snorted, smoked, free based | 2-4 hours | Increased alertness, excitation, euphoria, increased pulse rate, loss of appetite, insomnia | Agitation, increased body temperature, hallucinations, convulsions, possible death |
| Methamphetamine | Bennies, Uppers, Reds, Desoxyn, Bath | 3 days | | | | |
| MDA | Salts, Adderall | 2 days | | | | |
| MDMA | | 2 days | | | | |
| Phentermine | | 2 days | | | | |
| Cocaine & Metabolite | | | | | | |
| Cocaine | Coke, Flake, Snow, Crack | <1 day | Snorted, injected, smoked, free based | 1-2 hours | Increased alertness, excitation, euphoria, increased pulse rate, loss of appetite, insomnia | Agitation, increased body temperature, hallucinations, convulsions, possible death |
| Benzoylcegonine | | 3 days | | | | |
| Depressants | | | | | | |
| Alcohol (ETG) | Booze, Hooch, Juice, Brew, Shine, Grain, NA | NA | Oral | Variable | Slurred speech, disorientation, loss of inhibitions/memory, impaired judgement | Shallow respiration, cold & clammy skin, weak & rapid pulse, coma, possible death |
| Carisoprodol (muscle relaxant)* | Soma, Vanadom, Soprodol, Dance | NA | Oral | 4-6 hours | Dizziness, drowsiness, impaired coordination, disorientation | Shallow respiration, stiffness of muscles, hallucinations, weak & rapid pulse, coma, possible death |
| Zolpidem (Nonbenzodiazepine)* | Date-Rape Drug, Mexican Vallium, Roofies, Ambien, R2, Forget-Me Pill, Rope | NA | Oral | 6-8 hours | Dizziness, drowsiness, double or blurry vision, loss of inhibitions/memory, nausea, muscle or joint pain, headache | Severe drowsiness, shallow respiration, cold & clammy skin, weak & rapid pulse, chest pain, coma, possible death |
| Barbituates | | | | | | |
| Phenobarbital | Black Beauties, Seconal, Downers, | 10 days | Oral, injected | 1-16 hours | Slurred speech, disorientation, loss of inhibitions/memory, impaired judgement | Shallow respiration, cold & clammy skin, weak & rapid pulse, coma, possible death |
| Butalbital | Goofball, Amytal, Butisol, Fiorinal, | 7 days | | | | |
| Amobarbital | Nembutal, Tuinal | 3 days | | | | |
| Pentobarbital | | 3 days | | | | |
| Secobarbital | | 3 days | | | | |
| Benzodiazepines | | | | | | |
| Diazepam | Tranks, Ativan, Dalmane, Librium, | 7 days | Oral, injected | 4-8 hours | Slurred speech, disorientation, loss of inhibitions/memory, impaired judgement | Shallow respiration, cold & clammy skin, weak & rapid pulse, coma, possible death |
| Nordiazepam | Xanax, Valium, Halcion, Prazepam | 7 days | | | | |
| Alprazolam | | 4 days | | | | |
| Lorazepam | | 3 days | | | | |
| Oxazepam | | 3 days | | | | |
| Temazepam | | 3 days | | | | |
| Clonazepam | | 5 days | | | | |
| Flunitrazepam | | 4 days | | | | |
| Triazolam | | 1 day | | | | |
| Flurazepam | | 1 day | | | | |



Drug Abuse Reference Guide

| Drug Classification | Street/Trade Names | Approximate Window of Detection | Methods of Use | Duration of Effects | Possible Effects | Overdose Effects |
|---------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------------|---------------------------------|---------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Opioids (Narcotics) | | | | | | |
| Buprenorphine & Norbuprenorphine | Cizdol, Subutex, Temgesic, Buprenex, Norspan, Butrans, Suboxone, Naloxone, Zubsolv, Bunavail | 3 days | Oral, injected, patch | 24-72 hours | Dizziness, drowsiness, nausea, sedation | Slow & shallow breathing, clammy skin, convulsions, coma, possible death |
| Fentanyl & Norfentanyl | Apache, China White | 2 days | Oral, snorted, smoked, patches | 4-6 hours | Relaxation, euphoria, pain relief, sedation, confusion, drowsiness, dizziness, nausea | Slow & shallow breathing, clammy skin, pinpoint pupils, coma, possible death |
| Methadone & EDDP (methadone metabolite) | Synthetic narcotic, Dolophine, Methadose, Dome | 7 days | Oral, injected | 12-24 hours | Euphoria, drowsiness, respiratory depression, constricted pupils, nausea | Slow & shallow breathing, clammy skin, convulsions, coma, possible death |
| Mitragynine (kratom) | Thang, Kakuam, Thom, Ketum, Biak | NA | Oral, smoked | 2-8 hours | Low doses (stimulant), High doses (sedative/opioid) | Slow & shallow breathing, clammy skin, nausea, chills, convulsions, pinpoint pupils, coma, possible death |
| Heroin* | Smack, H, Dope, Junk, Skag, Hero | NA | Injected, snorted, smoked | NA | Euphoria, drowsiness, respiratory depression, constricted pupils, nausea | Slow & shallow breathing, clammy skin, pinpoint pupils, coma, possible death |
| Opiates | | | | | | |
| 6-MAM | Smack, Horse, Big M, Dover's powder, | 1 day | Oral, injected, | 3-6 hours | Euphoria, drowsiness, respiratory depression, | Slow & shallow breathing, clammy skin, |
| Morphine | Robitussin A-C, Tylenol with Codeine, | 3 days | smoked | | constricted pupils, nausea | convulsions, coma, possible death |
| Codeine | Paregoric | 3 days | | | | |
| Hydrocodone | | 3 days | | | | |
| Hydromorphone | | 3 days | | | | |
| Oxycodone | | 3 days | | | | |
| Oxymorphone | | 3 days | | | | |
| Tramadol* | Chill Pills, Trammies, Tramalgol, Ultras, Tramal | NA | Oral, injected | 4-6 hours | Euphoria, drowsiness, respiratory depression, constricted pupils, nausea | Slow & shallow breathing, clammy skin, convulsions, coma, possible death |
| Propoxyphene | | | | | | |
| | Darvocet, Darvon, N's, 65s, Pinks, Footballs, Pink Footballs, Yellow Footballs | 3 days | Oral | - | Dizziness, sedation, stupor, delirium, nausea and vomiting | Slow & shallow breathing, slurred speech, clammy skin, wheezing or coughing, convulsions, coma, possible death |
| Propoxyphene | | 4 days | | - | | |
| Norpropoxyphene | | | | | | |
| Hallucinogens | | | | | | |
| | Baby Food, Bump, Cat Killer, Cat Valium, God, Super K, K-land | 2 days | Oral, snorted, injected, smoked | - | Illusions, poor perception of time and distance, hallucinations, sedation, amnesia | Slow & shallow breathing, coma, possible death |
| Ketamine & Norketamine | | <1 day | | - | Illusions, poor perception of time and distance, hallucinations | Slow & shallow breathing, hyperthermia, nausea and vomiting, autonomic instability, bleeding disorders, coma |
| | Acid, Blotter, M and Ms, Mellow Yellow, Owsley Acid, Sunshine, Zen | | Oral, snorted, injected | | | |
| Lysergic Acid Diethylamide (LSD) | | | | | | |
| Phencyclidine | PCP, Angel Dust, Hog | 4 days | Oral, injected, smoked | Variable | Illusions, poor perception of time and distance, hallucinations | Longer & more intense "trip" episodes, awake coma, bizarre behavior, possible death |
| Cannabinoids (THC, THC concentrates) | | | | | | |
| Single Use | Weed, Pot, Grass, Gold, Spice, Special | 3 days | Oral, smoked | 2-4 hours | Lack of motivation, memory loss, lowered productivity, increased appetite | Fatigue, paranoia, hallucinations, decreased perception and coordination, seizures, unresponsiveness, sudden high blood pressure with headache |
| Moderate Use (4x per week) | K, K2 | 5 days | | | | |
| Heavy Use (daily) | | 10 days | | | | |
| Chronic Heavy Use | | 30 days | | | | |

*= See Averahealth Drug Screen Request Instructions Sheet